UM-25Q1N USB Microphone



Features:


●Unique patent design, professional classic appearance


●High sensitivity condenser usb microphone, long sound pickup distance, low noise

●Desktop gooseneck style, adjust height and angle freely


●One button touch sensor mute with led light

●2 appearance color black or white optional




Gooseneck
Pickup sound 360°
USB Cable
Blue LED light
Touch Sensor Switch
Light on Blue : Working
Light Off: Mute


258mm
17mm
59mm


59mm
59mm

WINDOWS 7/8/10 INSTALLATION FOR USB MIC


Step 1: Plug the USB port of the microphone directly into your **laptop or desktop computer.**


Step 2: Right-click the Audio Manager icon on the lower right of the desktop, then click the recording devices.


Step 3: You can see the microphone is set up and is on default,double click on microphone,then you can find Microphone properties.


Step 4: Come to Listen,check listen to this device,then click the OK button (If you need to monitor when recording, click OK to save the settings).

Step 5: Now,click on OK to save the settings.




Sound
Playback
Recording
Sounds
Communications
Select a recording device below to modify its settings:
3
Microphone
USB PnP Sound Device
Microphone
Realtek High Definition Audio
Ready
Microphone Properties
General
Listen
Custom
Levels
Advanced
You can listen to a portable music player or other device through this Mic jack. If you connect a microphone, you may hear feedback.
4
Listen to this device
Playback through this device:
Default Playback Device
Power Management
Continue running when on battery power
Disable automatically to save power
5
OK
Cancel
Apply


Microphone Properties
General
Listen
Levels
Advanced
Microphone
80
You can adjust the volume according to your personal preference
OK
Cancel
Apply


Microphone Properties
General
Listen
Custom
Levels
Advanced
AGC
You can check it or not according to your personal preference
OK
Cancel
Apply

Mac OS FOR USB MICROPHONE

Step 1: Click the desktop menu,then click **system preferences ...**

Step 2: Find sound button and click it.


Step 3: Choose input you will find internal Microphone, turn off the input volume.

Step 4: Choose USB MIC **USB PnP Sound Device** Sound Device, adjust input volume. (General adjustment in the middle).


Step 5 : Test the microphone sound:search the built-in software:Quick Time Player.


Step 6 : Right click and select 'NEW Audio Recording'


Step 7: After selecting the external USB microphone,click the recording button and you can record it.







Sound
Search
Sound Effects
Output
Input
Select a device for sound input:
Name
Type
Internal Microphone
Built-in
USB PnP Sound Device
USB
Turn off the input volume
3
Settings for the selected device:
Input volume:
Input level:
Use ambient noise reduction


Sound
Search
Sound Effects
Output
Input
Select a device for sound input:
Name
Type
4
Internal Microphone
Built-in
USB PnP Sound Device
USB
Settings for the selected device:
Input volume:
Input level:


q
5
QuickTime Player


QuickTime Player
File
Edit
View
Window
Help
New Movie Recording ⌥⌘N
New Audio Recording ^⌥⌘N
New Screen Recording ^⌘N
6
Open File... ⌘O
Open Location... ⌘L
Open Recent
Close ⌘W
Save... ⌘S
Duplicate ⇧⌘S
Rename...
Move To...
7
Export
Audio Recording
00:12
412 KB
10

Introduction

Thank you for purchasing this condenser microphone, please read this user manual carefully.

Tips

The product contains a built-in driver,so you can just connect it with usb port directly without extra driver.

Specification

Polar Pattern	Omni-directional
Sensitivity	-42dB±3dB
Impedance	≤2.2KΩ
Cable Length	1.35m
Frequency Response	50Hz-16KHz

Introduction

Merci d'avoir acheté ce microphone à condensateur, veuillez lire attentivement cette notice d'utilisation.

Cette notice d'utilisation

Le produit comprend un driver intégré de sorte que vous pouvez le connecter directement à l'usb sans avoir besoin d'un driver supplémentaire.

Spécification

Polar Pattern	Omni-directional
Sensibilité	-42dB±3dB
L'impédance	≤2.2KΩ
La longueur de la ligne	environ 1.35
Gamme de fréquence	50Hz-16KHz

Einführung

Vielen Dank für den Kauf dieses Kondensatormikrofons, Bitte lesen Sie diese Bedienungsanleitung sorgfältig durch.

Tipps

Das Produkt enthält ein eingebautes Laufwerk, so können Sie einfach mit usb direkt ohne extra fahrzeug verbinden.

Spezifikationen

Polarmuster	Omni-directional
Empfindlichkeit	-42dB±3dB
Impedanz	≤2.2KΩ
Kabellänge	environ 1.35m
Frequenzbereich	50Hz-16KHz

Introduzione

Grazie per aver acquistato questo microfono a condensatore,leggere attentamente questo manuale d'uso.

Suggerimenti

Il prodotto contiene un drive incorporato, in modo da poterlibasta collegarsi direttamente con il usb senza unità aggiuntive.

Specificazioni

Modello Polare	Omni-directional
Sensibilita	-42dB±3dB
Impedenza	≤2.2KΩ
Lunghezza di	circa 1.35m
Risposta frequente	50Hz-16KHz

Introducción

Gracias por comprar este micrófono de condensador, lea detenidamente este manual de usuario.

Consejos

El producto contiene una unidad incorporada, sólo conecte con usb directamente sin unidad extra.

Especificaciones

Patrón polar	Omni-directional
Sensibilidad	-42dB±3dB
Impedancia	≤2.2KΩ
Longitud del cable	approx. 1.35m
Respuesta de frecuencia	50Hz-16KHz

初めに

この度は、このマイクをお買い上げいただき、誠にありがとうございます.
ご使用の前にこの取扱説明書をよく読み、製品を安全にご使いください .

ヒント

製品には内蔵ドライブが含まれているため、
余分なドライブなしで直接usbに接続するだけです.

【仕様】

指向性	全指向
感　度	-42dB±3dB
インピーダンス	≤2.2KΩ
ケーブル長	1.35m
周波数特性	50Hz-16KHz

UM-25Q1N USB Microphone

